| | Type | L # | Hit | Search Text | DBs | Time Stamp | en | Er ro r De fi ni ti on | Er ro rs |
|---|------|------------|----------|-----------------|---|---------------------|----|------------------------|----------------|
| 1 | IS&R | L1 | 864 | | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:22 | | | |
| 2 | IS&R | L2 | 653 | (438/121).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:22 | | | |
| 3 | IS&R | L3 | 920 | (438/113).CCLS. | | 2005/08/22 12:22 | | | |
| 4 | IS&R | L4 | 217 | (438/114).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:22 | | | |
| 5 | IS&R | L5 | 307 5 | (438/106).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:22 | | | |
| 6 | IS&R | L 6 | 115 8 | (438/107).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:22 | | | |

| | Туре | L # | Hits | Search Text | DBs | Time Stamp | Co mm en ts | Dе | Er |
|----|------|-----|------------------|---|---|---------------------|----------------------|----|----|
| 7 | IS&R | L7 | 134 ₅ | (438/108).CCLS. | | 2005/08/22 12:23 | | | |
| 8 | IS&R | L8 | 676 | (438/458).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:23 | | | |
| 9 | IS&R | L9 | 677 | (438/462).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:23 | | | |
| 10 | BRS | L10 | 45 | ("438"/\$).ccls. and resin with flow\$4 with (pressur\$5 forc\$4) with (plate or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:40 | | | |
| 11 | BRS | L11 | 17 | <pre>(resin near flow\$4 with (pressur\$5 forc\$4) with (plate or substrate)).clm.</pre> | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:34 | | | |
| 12 | BRS | L12 | 912 | resin with flow\$4 with (pressur\$5 forc\$4) with (plate or substrate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 | | | |

| | Type | L # | Hit | Search Text | DBs | Time Stamp | Co mm en ts | Dе | Er ro rs |
|----|------|-----|-----|--|---|---------------------|----------------------|----|----------------|
| 13 | BRS | L13 | 126 | with (pressur\$5 | L I D() • | 2005/08/22 12:41 | | | |
| 14 | BRS | L14 | 22 | resin near flow\$4 near (pressur\$5 forc\$4) with (plate or substrate) and metal | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2005/08/22 12:41 | | | |